

MATERIAL SAFETY DATA SHEET
SIMILAR TO OSHA FORM 174

SECTION I
MANUFACTURER/DISTRIBUTOR INFORMATION

DISTRIBUTOR: Sanico

ADDRESS: P.O. Box 2037 Binghamton, NY 13902

EMERGENCY TELEPHONE NUMBER: (215) 830-0722

CHEMICAL NAME AND SYNONYMS: N/A Proprietary Blend

TRADE NAME: CROSSROADS EXT.WEAR FINISH(SPECIAL)

CHEMICAL FAMILY: Blended Acrylic Latex

FORMULA: N/A Blended Product

HMIS HAZARD CODE: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0 OTHER: None

SECTION II
HAZARDOUS INGREDIENTS AND FIVE MAJOR COMPONENTS

	% CONCENTRATION (RANGE)	HAZARD RATINGS (TLV/PEL)
Blended Acrylic Polymer Latex (CAS# 62180-77-2)	15.0-20.0	Not Est.
Diethylene Glycol Methyl Ether (CAS# 111-77-3)	1.0-5.0	Not Est.
Tributoxy Ethyl Phosphate (CAS# 78-51-3)	1.0-5.0	Not Est.
Dibutyl Phthalate (CAS# 84-74-2)	1.0-5.0	Not Est.

SECTION III
PHYSICAL DATA

BOILING POINT (oF): 212

VAPOR PRESSURE: = To Water

VAPOR DENSITY: = To Water

SOLUBILITY IN WATER: Disperses

APPEARANCE: Opaque, Thin White Liquid

ODOR: Characteristic Latex Odor

SPECIFIC GRAVITY: 1.0278

% VOLATILES BY WEIGHT: 75+

EVAPORATION RATE: = To Water

pH: 8.0 - 9.0

DATE PREPARED: 01-27-2006

BY: JBR

NOTE: Not Est. = Not Established
Prop. = Proprietary

SECTION IV
FIRE AND EXPLOSION DATA

FLASH POINT (oF): None to boiling. FLAMMABLE LIMITS: N/A

EXTINGUISHING MEDIA: Water, CO2, Dry Chemical, Foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Dried film may ignite in fire and liberate irritating fumes.

SECTION V
HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not Est.

EFFECTS OF OVER EXPOSURE: May cause skin and eye irritation. If ingested may cause severe gastric blockage with associated distress.

EMERGENCY AND FIRST AID PROCEDURES:

FOR SKIN: Wash thoroughly with soap and water. If irritation develops, get medical advice.

FOR EYES: Immediately flush with water for at least 15 minutes. If irritation persists, get medical advice.

IF INGESTED: May coagulate on contact with stomach acids, thus causing severe blockage. DO NOT INDUCE VOMITING. Give nothing by mouth. Get medical aid.

INHALATION: Not considered a hazardous route of exposure.

CONDITIONS AGGRAVATED BY EXPOSURE: None known.

LISTED CARCINOGEN, MUTAGEN, TERATOGEN (INGREDIENT, SOURCE, AMOUNT): None.

SECTION VI
REACTIVITY DATA

STABILITY: Stable.

CONDITIONS TO AVOID: None.

INCOMPATIBILITY: Any acid and strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides and unknown hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: None.

SECTION VII
SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: For small spills, rinse to local drains. For larger spills, recontainerize by mopping, wet vacuum or by using a suitable absorbent. Rinse remaining material to drains.

WASTE DISPOSAL METHOD: Follow local, state and federal guidelines.

SECTION VIII
SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Not Required.
VENTILATION: Local.
PROTECTIVE GLOVES: Rubber or Latex Gloves Recommended.
EYE PROTECTION: Safety Glasses Recommended.
OTHER PROTECTIVE EQUIPMENT: None Required.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store between 34o
and 120o F.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE AND
STORAGE BY SERVICE PERSONNEL ONLY.

THE INFORMATION CONTAINED IN THIS MSDS WAS OBTAINED FROM CURRENT AND RELIABLE SOURCES, HOWEVER THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SINCE THE CONDITIONS OF HANDLING, STORAGE AND DISPOSAL OF THIS PRODUCT ARE BEYOND THE CONTROL OF THIS COMPANY, IT IS NOT RESPONSIBLE FOR LOSS, INJURY AND EXPENSE ARISING OUT OF THE PRODUCT'S IMPROPER USE. NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE PRODUCT DESCRIBED IN THIS MSDS SHALL BE CREATED OR INFERRED BY ANY STATEMENTS IN THIS MSDS. VARIOUS GOVERNMENT AGENCIES MAY HAVE SPECIFIC REGULATIONS REGARDING THE TRANSPORTATION, HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT WHICH MAY NOT BE COVERED BY THIS MSDS. THE USER IS RESPONSIBLE FOR FULL COMPLIANCE.